

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



#### **Epofill Kit parte B**

Printing	: 07/12/2023 Date of compi	ation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)	
SEC	TION 1: IDENTIFICATION OF	THE SUBSTANCE/N	1IXTURE AND OF THE CO	MPANY/UNDERTAKING	
1.1	Product identifier:	Epofill Kit part	e B		
	Other means of identification				
	UFI:	F740-R0AR-W	00G-2KD6		
1.2	Relevant identified uses of th	e substance or mixt	ure and uses advised agai	nst:	
	Relevant uses: High performance	coatings. For profession	onal users/industrial user only		
	Uses advised against: All uses not	specified in this section	on or in section 7.3		
1.3	Details of the supplier of the s	afety data sheet:			
1.4	Diasen S.r.I. Zona Ind.le Berbentina, 5 60041 Sassoferrato (AN) - Marche Phone: +39 0732 9718 - Fax: +39 diasen@diasen.com https://www.diasen.com	0732 971899	nedale di Niguarda - Milan - Te	al ±39/02/66101029	
1.4	Emergency telephone number		- 16 - 16 - 16 - 16 - 16 - 16 - 16 - 16	91. +39/02/06101029	

#### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Acute Tox. 4: Acute toxicity, Category 4, H302+H332 Aquatic Acute 1: Hazardous to the aquatic environment, acute hazard, Category 1, H400 Aquatic Chronic 1: Hazardous to the aquatic environment, long-term hazard, Category 1, H410 Eye Dam. 1: Serious eye damage, Category 1, H318 Repr. 2: Reproductive toxicity, Category 2, H361fd Skin Corr. 1B: Skin corrosion, Category 1B, H314 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

#### 2.2 Label elements:

#### CLP Regulation (EC) No 1272/2008:

Danger



#### Hazard statements:

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Repr. 2: H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Sens. 1A: H317 - May cause an allergic skin reaction.

#### **Precautionary statements:**

P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

#### Supplementary information:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# **Epofill Kit parte B**

# Printing: 07/12/2023 Date of compilation: 25/11/2021 Revised: 09/05/2023 Version: 3 (Replaced 2) SECTION 2: HAZARDS IDENTIFICATION (continued) Contains 3-aminomethyl-3,5,5-trimethylcyclohexylamine. Substances that contribute to the classification 4,4´-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m-phenylenebis(methylamine); 4-nonylphenol, branched; benzyl alcohol; 2-piperazin-1-ylethylamine UFI: F740-R0AR-W00G-2KD6

# 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

The product contains substances with endocrine-disrupting properties: 4-nonylphenol, branched

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.1 Substance:

Non-applicable

# 3.2 Mixture:

Chemical description: Aqueous emulsion

#### **Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS: EC:	113930-69-1 500-302-7		diphenol, oligomeric reaction products with 1-chloro-2,3- Self-classified ion products with m-phenylenebis(methylamine) <sup>(1)</sup>	
Index: REACH:	Non-applicable 01-2119965162-39- XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1:	25 - <50 %
CAS:	84852-15-3	4-nonylphenol, brand	ched <sup>(1)</sup> ATP CLP00	
	284-325-5 601-053-00-8 01-2119510715-45- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Repr. 2: () 🐼 🏵 🕷	25 - <50 %
CAS:	100-51-6	benzyl alcohol <sup>(1)</sup>	ATP CLP00	
EC: Index: REACH:	202-859-9 603-057-00-5 01-2119492630-38- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H332 - Warning	10 - <25 %
CAS:	140-31-8	2-piperazin-1-ylethy	lamine <sup>(1)</sup> ATP CLP00	
	205-411-0 612-105-00-4 01-2119471486-30- XXXX	Regulation 1272/2008	Acute Tox. 4: H302+H312; Aquatic Chronic 3: H412; Skin Corr. 1B: H314; Skin Sens. 1: H317 - Danger	2,5 - <10 %
CAS:	2855-13-2	3-aminomethyl-3,5,5-trimethylcyclohexylamine <sup>(1)</sup> ATP ATP17		
	220-666-8 612-067-00-9 01-2119514687-32- XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger	2,5 - <10 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

#### **Other information:**

Identification				M-factor	
4-nonylphenol, branched			Acute	10	
CAS: 84852-15-3 EC: 284-325-5			Chronic	10	
Identification		Spec	ific concentrati	on limit	
3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 EC: 220-666-8	% (w/w) >=0,001: Skin Sens. 1A - H317				
Acute toxicity estimate for the substance in Part 3 of Annex V with Annex I to that Regulation:	/I to Re	gulation (EC) No 1272/2	008 or as de	etermined in accordance	

with Annex I to that Regulation:





# **Epofill Kit parte B**

ting: 07/12/2023	Date of compilation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)	
SECTION 3: COMP	OSITION/INFORMATION ON INGRE	EDIENTS (continued)		
	Identification		Acute toxicity	Genus
benzyl alcohol		LD50 oral	500 mg/kg (ATEi)	Rat
CAS: 100-51-6		LD50 dermal	Non-applicable	
EC: 202-859-9		LC50 inhalation	11 mg/L (ATEi)	
2-piperazin-1-ylet	hylamine	LD50 oral	500 mg/kg (ATEi)	
CAS: 140-31-8		LD50 dermal	1100 mg/kg (ATEi)	
EC: 205-411-0		LC50 inhalation	Non-applicable	
4-nonylphenol, br	anched	LD50 oral	1412 mg/kg (ATEi)	Rat
CAS: 84852-15-3		LD50 dermal	Non-applicable	
EC: 284-325-5		LC50 inhalation	Non-applicable	
3-aminomethyl-3,	5,5-trimethylcyclohexylamine	LD50 oral	1030 mg/kg (ATEi)	Rat
CAS: 2855-13-2		LD50 dermal	Non-applicable	
EC: 220-666-8		LC50 inhalation	Non-applicable	

# SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

#### By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

#### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

# By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucus of the main digestive tract, and also risk damage to the respiratory system through inhalation. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

#### 4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

# SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media:

## Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

# Unsuitable extinguishing media:

Non-applicable

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **Epofill Kit parte B**



 Printing: 07/12/2023
 Date of compilation: 25/11/2021
 Revised: 09/05/2023
 Version: 3 (Replaced 2)

#### SECTION 5: FIREFIGHTING MEASURES (continued)

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

## 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures:

#### For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

#### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

#### 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

#### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

#### 6.4 Reference to other sections:

See sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

PREGNANT WOMEN SHOULD NOT BE EXPOSED TO THIS PRODUCT. Transfer in designated areas that comply with the necessary safety conditions (emergency showers and eyewash stations in close proximity), using personal protection equipment, especially on the hands and face (See section 8). Limit manual transfers to small amounts only. Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

#### 7.2 Conditions for safe storage, including any incompatibilities:





# **Epofill Kit parte B**

Printing:	07/12/2023	Date of compilation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)
SECT	TION 7: HANDLIN	NG AND STORAGE (continued)		
	A Technical mea	asures for storage		
	Minimum Tem	ıр.: 5 °С		
	Maximum Terr	np.: 30 °C		
	Maximum time	e: 6 Months		
	B General condit	tions for storage		
	Avoid sources	of heat, radiation, static electricity a	nd contact with food. For addition	onal information see subsection 10.5
7.3	Specific end use	e(s):		
	Except for the inst product.	tructions already specified it is not ne	ecessary to provide any special	recommendation regarding the uses of this

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

# DNEL (Workers):

			xposure	Long exposure	
Identification		Systemic	Local	Systemic	Local
4,4 '-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m- phenylenebis(methylamine)	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 113930-69-1	Dermal	Non-applicable	Non-applicable	0,14 mg/kg	Non-applicable
EC: 500-302-7	Inhalation	Non-applicable	Non-applicable	0,493 mg/m <sup>3</sup>	Non-applicable
4-nonylphenol, branched	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 84852-15-3	Dermal	15 mg/kg	Non-applicable	7,5 mg/kg	Non-applicable
EC: 284-325-5	Inhalation	1 mg/m <sup>3</sup>	Non-applicable	0,5 mg/m <sup>3</sup>	Non-applicable
benzyl alcohol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 100-51-6	Dermal	40 mg/kg	Non-applicable	8 mg/kg	Non-applicable
EC: 202-859-9	Inhalation	110 mg/m <sup>3</sup>	Non-applicable	22 mg/m <sup>3</sup>	Non-applicable
2-piperazin-1-ylethylamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 140-31-8	Dermal	Non-applicable	Non-applicable	3,33 mg/kg	Non-applicable
EC: 205-411-0	Inhalation	10,6 mg/m <sup>3</sup>	80 mg/m <sup>3</sup>	10,6 mg/m <sup>3</sup>	0,015 mg/m <sup>3</sup>
3-aminomethyl-3,5,5-trimethylcyclohexylamine	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 2855-13-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-666-8	Inhalation	Non-applicable	Non-applicable	Non-applicable	0,073 mg/m <sup>3</sup>

#### **DNEL (General population):**

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
4,4 '-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m- phenylenebis(methylamine)	Oral	Non-applicable	Non-applicable	0,05 mg/kg	Non-applicable
CAS: 113930-69-1	Dermal	Non-applicable	Non-applicable	0,05 mg/kg	Non-applicable
EC: 500-302-7	Inhalation	Non-applicable	Non-applicable	0,074 mg/m <sup>3</sup>	Non-applicable
4-nonylphenol, branched	Oral	0,4 mg/kg	Non-applicable	0,08 mg/kg	Non-applicable
CAS: 84852-15-3	Dermal	7,6 mg/kg	Non-applicable	3,8 mg/kg	Non-applicable
EC: 284-325-5	Inhalation	0,8 mg/m <sup>3</sup>	Non-applicable	0,4 mg/m <sup>3</sup>	Non-applicable
benzyl alcohol	Oral	20 mg/kg	Non-applicable	4 mg/kg	Non-applicable
CAS: 100-51-6	Dermal	20 mg/kg	Non-applicable	4 mg/kg	Non-applicable
EC: 202-859-9	Inhalation	27 mg/m <sup>3</sup>	Non-applicable	5,4 mg/m³	Non-applicable





# **Epofill Kit parte B**

ting: 07/12/2023 Date of compilation: 25/11/2	2021 Rev	rised: 09/05/2023	3 Version	1: 3 (Replaced	2)
ECTION 8: EXPOSURE CONTROLS/PERSONAL	PROTECTIO	N (continued)			
		Short	exposure	Lo	ng exposure
Identification		Systemic	Local	Systemic	Local
3-aminomethyl-3,5,5-trimethylcyclohexylamine	Oral	Non-applicable	Non-applicable	0,526 mg/kg	Non-applicable
CAS: 2855-13-2	Dermal	Non-applicable	Non-applicable	Non-applicable	Non-applicable
EC: 220-666-8	Inhalation	Non-applicable	Non-applicable	Non-applicable	Non-applicable
PNEC:					
Identification					
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with m phenylenebis(methylamine)		8,889 mg/L	Fresh water		0,001 mg/L
CAS: 113930-69-1	Soil	923000 mg/kg	Marine water		0 mg/L
EC: 500-302-7	Intermittent	0,015 mg/L	Sediment (Fresh	water)	4610000 mg/kg
	Oral	0,00333 g/kg	Sediment (Marine	e water)	461000 mg/kg
4-nonylphenol, branched	STP	9,5 mg/L	Fresh water		0,001 mg/L
CAS: 84852-15-3	Soil	2,3 mg/kg	Marine water		0,001 mg/L
EC: 284-325-5	Intermittent	0 mg/L	Sediment (Fresh	water)	4,62 mg/kg
	Oral	0,00236 g/kg	Sediment (Marine	e water)	1,23 mg/kg
benzyl alcohol	STP	39 mg/L	Fresh water		1 mg/L
CAS: 100-51-6	Soil	0,456 mg/kg	Marine water		0,1 mg/L
EC: 202-859-9	Intermittent	2,3 mg/L	Sediment (Fresh	water)	5,27 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,527 mg/kg
2-piperazin-1-ylethylamine	STP	250 mg/L	Fresh water		0,058 mg/L
CAS: 140-31-8	Soil	1 mg/kg	Marine water		0,006 mg/L
EC: 205-411-0	Intermittent	0,58 mg/L	Sediment (Fresh	water)	215 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	21,5 mg/kg
3-aminomethyl-3,5,5-trimethylcyclohexylamine	STP	3,18 mg/L	Fresh water		0,06 mg/L
CAS: 2855-13-2	Soil	1,121 mg/kg	Marine water		0,006 mg/L
EC: 220-666-8	Intermittent	0,23 mg/L	Sediment (Fresh	water)	5,784 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,578 mg/kg

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	ı	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tra protection	act	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.
As the product is	a mixture of several subs	stances, the res	istance of the glove mater	rial can not be calculated in advance with

total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection





**Epofill Kit parte B** 

ION 8: EXPOSURE (	CONTROL C/	DEDCON	AL DDOTECT		continued)		
ION 6. LAPOSORE (	CONTROLS	PLKSUN	AL PROTLET		continueu)		
Pictogram	PPE		Labelling		CEN Standard		Remarks
Mandatory face protection	Face shi	ield		E	EN 166:2002 EN 167:2002 EN 168:2002 EN ISO 4007:2018		daily and disinfect periodically acco nanufacturer´s instructions. Use if th risk of splashing.
E Body protection			•				
Pictogram	PPE		Labelling		CEN Standard		Remarks
Mandatory complete body protection	Disposable clo protection again risks	st chemical	CAT III	E	13034:2005+A1:2009 EN 168:2002 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6530:2005 EN 464:1994		r professional use only. Clean period ording to the manufacturer's instruc
Mandatory foot protection	Safety footw protection again risk	st chemical			N ISO 20345:2011 EN 13832-1:2019	Re	place boots at any sign of deteriora
F Additional emerger	ncy measures						
Emergency meas	sure	St	andards		Emergency measu	ıre	Standards
/ <b>i</b> i\		AN	SI Z358-1				DIN 12 899
spillage of both the pr Volatile organic con	wer <b>DSURE CONTRO</b> e community l roduct and its <b>npounds:</b>	ls: legislation container.	11, ISO 3864-4:20 for the protecti For additional i	ion of inform	ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr	wer osure contro e community l oduct and its npounds: ve 2010/75/EU 20 °C:	ls: legislation container. J, this prod 0 % v 0 kg/	11, ISO 3864-4:20 for the protecti For additional i	ion of inform	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2	wer <b>osure contro</b> e community l oduct and its <b>npounds:</b> we 2010/75/EU 20 °C: umber:	legislation container. J, this prod 0 % v 0 kg/ Non-a	for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L)	ion of inform	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu	wer osure contro e community l oduct and its npounds: ve 2010/75/EU 20 °C: umber: · weight:	Is: container. J, this prod 0 % v 0 kg/ Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable	ion of inform	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular	wer osure contro e community I oduct and its npounds: ve 2010/75/EU 20 °C: umber: r weight: ND CHEMIC ic physical a	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable PERTIES	ion of inform	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on bas For complete informat	wer osure contro e community I oduct and its npounds: ve 2010/75/EU 20 °C: umber: r weight: ND CHEMIC ic physical a	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable PERTIES	ion of inform	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular INFORMATION ON DASS For complete informat Appearance:	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet.	ion of information	the environment it i ation see subsection	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular INFORMATION ON BAS For complete informat Appearance: Physical state at 20 °C	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu	ion of inform Ilowing s:	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on bas For complete informat Appearance: Physical state at 20 °C Appearance:	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu	ion of inform llowing s: id availal	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular INFORMATION ON BAS For complete informat Appearance: Physical state at 20 °C	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not	ion of inform llowing s: id availal Yellow	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic con With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on bas For complete informat Appearance: Physical state at 20 °C Appearance:	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not	ion of inform llowing s: id availal	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directive V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular INFORMATION ON DASE For complete information Appearance: Physical state at 20 °C Appearance: Colour:	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not	ion of information informatio	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on basi For complete informat Appearance: Physical state at 20 °C Appearance: Colour: Odour:	wer <b>Description</b> e community l oduct and its <b>mpounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> tion see the pr	Is: legislation container. J, this prod 0 % % 0 kg/ Non-a Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not	ion of information informatio	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on bas For complete informat Appearance: Physical state at 20 °C Appearance: Colour: Odour: Odour threshold:	wer cosure contro e community l oduct and its npounds: ve 2010/75/EU 20 °C: umber: r weight: ND CHEMIC ic physical a ion see the pr C:	Is: legislation container. J, this prod 0 % 1 0 kg/ Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not	ion of inform llowing s: id availal Yellow availal -applic	the environment it i ation see subsection g characteristics:	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directive V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular ON 9: PHYSICAL A Information on basis For complete informat Appearance: Physical state at 20 °C Appearance: Colour: Odour: Odour threshold: Volatility:	wer psure contro e community l oduct and its <b>npounds:</b> ve 2010/75/EL 20 °C: umber: • weight: ND CHEMIC ic physical a tion see the pr C: pheric pressur	Is: legislation container. J, this prod 0 % 1 0 kg/ Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not Non	ion of inform llowing s: id availal Yellow availal -applic	the environment it i ation see subsection g characteristics: ble ble cable *	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme
Environmental expo In accordance with the spillage of both the pr Volatile organic com With regard to Directiv V.O.C. (Supply): V.O.C. density at 2 Average carbon nu Average molecular CON 9: PHYSICAL A Information on bas For complete informat Appearance: Physical state at 20 °C Appearance: Colour: Odour: Odour threshold: Volatility: Boiling point at atmos	wer <b>Desure contro</b> e community l oduct and its <b>npounds:</b> we 2010/75/EU 20 °C: umber: • weight: <b>ND CHEMIC</b> <b>ic physical a</b> ion see the pr C: pheric pressur	Is: legislation container. J, this prod 0 % 1 0 kg/ Non-a Non-a	11, ISO 3864-4:20 for the protecti For additional i duct has the fo weight m <sup>3</sup> (0 g/L) applicable applicable <b>PERTIES</b> <b>ical propertie</b> asheet. Liqu Not Not Non	ion of inform llowing s: id availal Yellow availal -applic -applic	the environment it i ation see subsection g characteristics: ble ble cable *	s recor	ISO 3864-1:2011, ISO 3864-4: nmended to avoid environme

- CONTINUED ON NEXT PAGE -



# **Epofill Kit parte B**

inting:	: 07/12/2023 Date of compilation: 25/11/202	1 Revised: 09/05/2023	Version: 3 (Replaced 2)
SECT	TION 9: PHYSICAL AND CHEMICAL PROPERT	IES (continued)	
	Evaporation rate at 20 °C:	Non-applicable *	
	Product description:		
	Density at 20 °C:	1047 kg/m <sup>3</sup>	
	Relative density at 20 °C:	1,047	
	Dynamic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 20 °C:	Non-applicable *	
	Kinematic viscosity at 40 °C:	Non-applicable *	
	Concentration:	Non-applicable *	
	pH:	Non-applicable *	
	Vapour density at 20 °C:	Non-applicable *	
	Partition coefficient n-octanol/water 20 °C:	Non-applicable *	
	Solubility in water at 20 °C:	Non-applicable *	
	Solubility properties:	Non-applicable *	
	Decomposition temperature:	Non-applicable *	
	Melting point/freezing point:	Non-applicable *	
	Flammability:		
	Flash Point:	Non Flammable (>60 °C)	
	Flammability (solid, gas):	Non-applicable *	
	Autoignition temperature:	372 °C	
	Lower flammability limit:	Non-applicable *	
	Upper flammability limit:	Non-applicable *	
	Particle characteristics:		
	Median equivalent diameter:	Non-applicable	
9.2	Other information:		
	Information with regard to physical hazard c	lasses:	
	Explosive properties:	Non-applicable *	
	Oxidising properties:	Non-applicable *	
	Corrosive to metals:	Non-applicable *	
	Heat of combustion:	Non-applicable *	
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *	
	Other safety characteristics:		
	Surface tension at 20 °C:	Non-applicable *	
	Refraction index:	Non-applicable *	
	*Not relevant due to the nature of the product, not providing	information property of its hazards.	

# SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

## 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

- CONTINUED ON NEXT PAGE -



#### Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878,

without any country-specific legislation



# **Epofill Kit parte B**

rinting: 07/12/2023	Date of	compilation: 25/11/2021	Revised: 09/05/2023 Version: 3		Replaced 2)		
SECTION 10: STABILITY AND REACTIVITY (continued)							
10.4 Conditions	to avoid:						
Applicable for handling and storage at room temperature:							
	nananig ana	p					
	d friction	Contact with air	Increase in temperature	Sunlight	Humidity		
Shock ar		5 1	Increase in temperature Not applicable	Sunlight Not applicable	Humidity Not applicable		
Shock ar	d friction plicable	Contact with air Not applicable	•	5	,		
Shock ar Not ap 10.5 Incompatib	d friction plicable	Contact with air Not applicable	•	5	,		

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

# SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

#### **Dangerous health implications:**

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomitina.

Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

B- Inhalation (acute effect):

- Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
  - IARC: Non-applicable

Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Suspected of damaging fertility. Suspected of damaging the unborn child.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# **Epofill Kit parte B**

07/12/2023	Date of compilation: 25/11/2021	Revised: 09/05/2	023 Ve	ersion: 3 (Replaced 2)	
ION 11: TOXI	COLOGICAL INFORMATION (cont	tinued)			
it does not - Skin: Ba	target organ toxicity (STOT)-repeated e contain substances classified as hazardo sed on available data, the classification for this effect. For more information see nazard:	ous for this effect. For n criteria are not met, as	nore informati	on see section 3.	
	vailable data, the classification criteria a For more information see section 3. <b>ation:</b>	ire not met, as it does n	not contain sub	bstances classified as h	azardous
Non-applicable					
non applicable					
	ology information on the substance	es:			
	ology information on the substance	es:	Ac	cute toxicity	Gen
			Ac 50 oral	cute toxicity 500 mg/kg (ATEi)	
Specific toxic		LD		,	
Specific toxic		LD LD	50 oral	500 mg/kg (ATEi)	
Specific toxic benzyl alcohol CAS: 100-51-6	Identification	LD LC	50 oral 50 dermal	500 mg/kg (ATEi) 2500 mg/kg	
<b>Specific toxic</b> benzyl alcohol CAS: 100-51-6 EC: 202-859-9	Identification	LD LC LD	50 oral 50 dermal 50 inhalation	500 mg/kg (ATEi) 2500 mg/kg 11 mg/L (ATEi)	
benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet	Identification	LD LD LC LD LD LD	50 oral 50 dermal 50 inhalation 50 oral	500 mg/kg (ATEi) 2500 mg/kg 11 mg/L (ATEi) 500 mg/kg (ATEi)	
Specific toxic benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet CAS: 140-31-8	Identification	LD LD LD LD LD LD LD LD LD LD LD LD	50 oral 50 dermal 50 inhalation 50 oral 50 dermal	500 mg/kg (ATEi)           2500 mg/kg           11 mg/L (ATEi)           500 mg/kg (ATEi)           1100 mg/kg (ATEi)	Ra
Specific toxic benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet CAS: 140-31-8 EC: 205-411-0	Identification	LD LD LD LD LC LD LD LD LD LD	50 oral 50 dermal 50 inhalation 50 oral 50 dermal 50 inhalation	500 mg/kg (ATEi)           2500 mg/kg           11 mg/L (ATEi)           500 mg/kg (ATEi)           1100 mg/kg (ATEi)           Non-applicable	Ra
Specific toxic benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet CAS: 140-31-8 EC: 205-411-0 4-nonylphenol, br	Identification	LD LD LC LD LD LD LD LD LD LD LD	50 oral 50 dermal 50 inhalation 50 oral 50 dermal 50 inhalation 50 oral	500 mg/kg (ATEi)           2500 mg/kg           11 mg/L (ATEi)           500 mg/kg (ATEi)           1100 mg/kg (ATEi)           Non-applicable           1412 mg/kg (ATEi)	Ra
Specific toxic benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet CAS: 140-31-8 EC: 205-411-0 4-nonylphenol, br CAS: 84852-15-3 EC: 284-325-5	Identification	LD LD LC LC LD LD LD LD LD LD LD LD LD LD	50 oral 50 dermal 50 inhalation 50 oral 50 dermal 50 inhalation 50 oral 50 dermal	500 mg/kg (ATEi)           2500 mg/kg           11 mg/L (ATEi)           500 mg/kg (ATEi)           1100 mg/kg (ATEi)           100 ng/kg (ATEi)           Non-applicable           1412 mg/kg (ATEi)           Non-applicable	Ra Ra Ra Ra
Specific toxic benzyl alcohol CAS: 100-51-6 EC: 202-859-9 2-piperazin-1-ylet CAS: 140-31-8 EC: 205-411-0 4-nonylphenol, br CAS: 84852-15-3 EC: 284-325-5	Identification hylamine anched	LD LD LD LD LD LD LD LD LD LD LD LD LD L	50 oral 50 dermal 50 inhalation 50 oral 50 dermal 50 oral 50 oral 50 dermal 50 inhalation	500 mg/kg (ATEi)           2500 mg/kg           11 mg/L (ATEi)           500 mg/kg (ATEi)           1100 mg/kg (ATEi)           1100 mg/kg (ATEi)           Non-applicable           1412 mg/kg (ATEi)           Non-applicable           Non-applicable           Non-applicable	Gen Ra Ra Ra Ra Ra Ra

#### \_\_\_\_\_

# Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

# Other information

Non-applicable

# SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Very toxic to aquatic life with long lasting effects.

# 12.1 Toxicity:

# Acute toxicity:

Identification	Concentration		Species	Genus
4,4 '-Isopropylidenediphenol, oligomeric reaction products with 1- chloro-2,3-epoxypropane, reaction products with m-phenylenebis (methylamine)		>1 - 10 mg/L (96 h)		Fish
CAS: 113930-69-1	EC50	>1 - 10 mg/L (48 h)		Crustacean
EC: 500-302-7	EC50	>1 - 10 mg/L (72 h)		Algae
4-nonylphenol, branched	LC50	0,05 mg/L (96 h)	Acipenser oxyrhynchus	Fish
CAS: 84852-15-3	EC50	0,14 mg/L (48 h)	Daphnia magna	Crustacean
EC: 284-325-5	EC50	1,3 mg/L (72 h)	Scenedesmus subspicatus	Algae
benzyl alcohol	LC50	646 mg/L (48 h)	Leuciscus idus	Fish
CAS: 100-51-6	EC50	400 mg/L (24 h)	Daphnia magna	Crustacean
EC: 202-859-9	EC50	79 mg/L (3 h)	Scenedesmus subspicatus	Algae
2-piperazin-1-ylethylamine	LC50	2190 mg/L (96 h)	Pimephales promelas	Fish
CAS: 140-31-8	EC50	58 mg/L (48 h)	Daphnia magna	Crustacean
EC: 205-411-0	EC50	1000 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

- CONTINUED ON NEXT PAGE -





# **Epofill Kit parte B**

		inued)					
CTION 12: ECOLOGICAL INFO		.inueu)					
Identificati	on		Concentration		Speci	ies	Genus
3-aminomethyl-3,5,5-trimethylcycloh	exylamine	LC50	110 mg/L (96 h)		Leuciscu	s idus	Fish
CAS: 2855-13-2		EC50	388 mg/L (48 h)		N/A	٩	Crustace
EC: 220-666-8		EC50	Non-applicable				
Chronic toxicity:							
Identificati	on		Concentration		Speci	ies	Genus
4-nonylphenol, branched		NOEC	0,006 mg/L		Oncorhynch	us mykis	s Fish
CAS: 84852-15-3 EC: 284-325-5		NOEC	0,024 mg/L		Daphnia r	magna	Crustace
benzyl alcohol		NOEC	48,897 mg/L		N/A	A	Fish
CAS: 100-51-6 EC: 202-859-9		NOEC	51 mg/L		Daphnia r	magna	Crustace
3-aminomethyl-3,5,5-trimethylcycloh	exylamine	NOEC	Non-applicable				
CAS: 2855-13-2 EC: 220-666-8		NOEC	3 mg/L		Daphnia I	magna	Crustace
.2 Persistence and degradabil	ity:						
Substance-specific informa	tion:						
Identification		D	egradability		Biod	legradab	pility
benzyl alcohol		BOD5	Non-applicable	Conc	entration		100 mg/L
CAS: 100-51-6		COD	Non-applicable	Perio	d		14 days
EC: 202-859-9		BOD5/COD	Non-applicable	% Bi	odegradable		94 %
2-piperazin-1-ylethylamine		BOD5	Non-applicable	Conc	entration		30 mg/L
CAS: 140-31-8		COD	Non-applicable	Perio	d		28 days
EC: 205-411-0		BOD5/COD	Non-applicable	% Bi	odegradable		0 %
3-aminomethyl-3,5,5-trimethylcycloh	exylamine	BOD5	Non-applicable	Conc	entration		7 mg/L
CAS: 2855-13-2		COD	Non-applicable	Perio	d		28 days
EC: 220-666-8		BOD5/COD	Non-applicable	% Bi	odegradable		8 %
2.3 Bioaccumulative potential: Substance-specific informa	tion:						
•	Identification				Bioaccu	mulation	potential
4-nonylphenol, branched	Identification			BC		231	potential
CAS: 84852-15-3					w Log	5.4	
EC: 284-325-5					tential	High	
benzyl alcohol				BC		0.3	
CAS: 100-51-6					w Log	1.1	
EC: 202-859-9				Po	tential	Low	
.4 Mobility in soil:							
Identification		Abs	orption/desorption			Volat	ility
4-nonylphenol, branched		Кос	22000		Henry		11,02 Pa m <sup>3</sup> /mol
CAS: 84852-15-3		Conclusion	Immobile		Dry soil		Yes
EC: 284-325-5		Surface tensior	Non-applicable		Moist soil		Yes
benzyl alcohol		Кос	Non-applicable		Henry		Non-applicable
CAS: 100-51-6		Conclusion	Non-applicable		Dry soil		Non-applicable
EC: 202-859-9		Surface tensior	3,679E-2 N/m	(25 °C)	Moist soil		Non-applicable
2-piperazin-1-ylethylamine		Кос	37000		Henry		Non-applicable
CAS: 140-31-8		Conclusion	Immobile		Dry soil		Non-applicable
EC: 205-411-0		Surface tensior	4,001E-2 N/m	(25 °C)	Moist soil		Non-applicable
			000		Hammi		4 46E 4 Daym3/mg
3-aminomethyl-3,5,5-trimethylcycloh	exylamine	Кос	928		Henry		4,46E-4 Pa·m <sup>3</sup> /mc
3-aminomethyl-3,5,5-trimethylcycloho CAS: 2855-13-2	exylamine	Koc Conclusion	928 Low		Dry soil		4,46E-4 Pa-m3/mc No

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

- CONTINUED ON NEXT PAGE -



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



### **Epofill Kit parte B**

Printing: 07/12/2023 Date of compilation: 25/11/2021 Revised: 09/05/2023 Version: 3 (Replaced 2)

# SECTION 12: ECOLOGICAL INFORMATION (continued)

#### **12.6 Endocrine disrupting properties:**

Contains 4-nonylphenol, branched. A substance shall be considered as having endocrine-disrupting properties that may cause adverse effects on non-target organisms if: (a) it shows an adverse effect in non-target organisms, which is a change in the morphology, physiology, growth, development, reproduction or life span of an organism, system or (sub)population that results in an impairment of functional capacity, an impairment of the capacity to compensate for additional stress or an increase in susceptibility to other influences

- (b) it has an endocrine mode of action, i.e. it alters the function(s) of the endocrine system
- (c) the adverse effect is a consequence of the endocrine mode of action.

#### 12.7 Other adverse effects:

Not described

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### **13.1 Waste treatment methods:**

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances	Hazardous

#### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP6 Acute Toxicity, HP10 Toxic for reproduction, HP13 Sensitising, HP8 Corrosive

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### **Regulations related to waste management:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

#### SECTION 14: TRANSPORT INFORMATION \*\*

#### Transport of dangerous goods by land:

With regard to ADR 2023 and RID 2023:

		UN number or ID number: UN proper shipping name:	UN3066 PAINT
<b>1</b>	4.3	Transport hazard class(es):	8
$\mathbf{V}$		Labels:	8
14	4.4	Packing group:	II
14	4.5	Environmental hazards:	Yes
14	4.6	Special precautions for user	
		Special regulations:	163, 367
		Tunnel restriction code:	E
		Physico-Chemical properties:	see section 9
		Limited quantities:	1 L
14	4.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport of dang	jero	us goods by sea:	
With regard to IMD(	C 40	-20:	

With regard to IMDG 40-20:

\*\* Changes with regards to the previous version





# **Epofill Kit parte B**

Printing: 07/12/2023	Date o	of compilation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)
SECTION 14: TRANSP	PORT	INFORMATION ** (continued	)	
	14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Marine pollutant: Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties: Limited quantities: Segregation group: Maritime transport in bulk	UN3066 PAINT 8 8 II Yes 367, 163 F-A, S-B see section 9 1 L Non-applicable Non-applicable	
		according to IMO instruments:		
-	-	us goods by air:		
With regard to IA	TA/ICA	NO 2023:		
	14.2 14.3 14.4 14.5	UN number or ID number: UN proper shipping name: Transport hazard class(es): Labels: Packing group: Environmental hazards: Special precautions for user	UN3066 PAINT 8 8 II Yes	
	14.7	Physico-Chemical properties: Maritime transport in bulk according to IMO instruments:	see section 9 Non-applicable	

\*\* Changes with regards to the previous version

SECTION 15: REGULATORY INFORMATION \*\*

#### **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): 4-nonylphenol, branched

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Contains 4-nonylphenol, branched

Seveso III:

Section	Description	Lower-tier requirements	Upper-tier requirements				
E1	ENVIRONMENTAL HAZARDS	100	200				
Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):							

\*\* Changes with regards to the previous version



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



# **Epofill Kit parte B**

Printing:	07/12/2023	Date of compilation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)
SECT	ION 15: REGUL	ATORY INFORMATION ** (contir	nued)	
	mixtures in conce (1) industrial and — controlled clos — cleaning system (2) domestic cleaning (3) textiles and I — processing with — systems with so biological waster (4) emulsifier in (5) metal working uses in controllec (6) manufacturing (7) cosmetic pro	entrations equal to or greater than 0,1 % d institutional cleaning except: ed dry cleaning systems where the was ms with special treatment where the wa aning; eather processing except: h no release into waste water, special treatment where the process wa water treatment (degreasing of sheepsk agricultural teat dips; g except: d closed systems where the washing liquing of pulp and paper;	by weight for the following p whing liquid is recycled or incine ashing liquid is recycled or incin ter is pre-treated to remove the sin);	rated, nerated.
	<ul> <li>(9) co-formulant nonylphenol etho expiry.</li> <li>Shall not be used —ornamental arti and ashtrays, —tricks and jokes —games for one</li> </ul>	l in: icles intended to produce light or colour	e 17 July 2003, shall not be afferent preffects by means of different preded to be used as such, even	ected by this restriction until their date of phases, for example in ornamental lamps
		ed to use the information included in thi rder to establish the necessary risk prev		
	The product coul	d be affected by sectorial legislation		
15.2	Chemical safety	y assessment:		
	The supplier has	not carried out evaluation of chemical s	safety.	
** Chang	ges with regards to	the previous version		
CECT		RINFORMATION		
SECT				
	The SDS shall be has been designed (COMMISSION RI Modifications re		o the compilation of safety data	aced on the market. This safety data sheet a sheets of Regulation (EC) No 1907/2006 ways of managing risks.:
	· Limitations to <b>Texts of the leg</b> H314: Causes see H318: Causes see H317: May cause H410: Very toxic H400: Very toxic H361fd: Suspecte	FORMATION (SECTION 15): commercialisation and the use of certa gislative phrases mentioned in sect vere skin burns and eye damage. rious eye damage. an allergic skin reaction. to aquatic life with long lasting effects.	ion 2:	nixtures (Annex XVII REACH, etc)

# Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

- CONTINUED ON NEXT PAGE -





# **Epofill Kit parte B**

Printing: 07/12/2023	Date of compilation: 25/11/2021	Revised: 09/05/2023	Version: 3 (Replaced 2)
SECTION 16: OTHE	ER INFORMATION (continued)		
Acute Tox. 4: H Acute Tox. 4: H Acute Tox. 4: H Aquatic Acute Tox. Aquatic Chronic Aquatic Chronic Aquatic Chronic Eye Dam. 1: H Repr. 2: H361fc Skin Corr. 1B: H Skin Sens. 1: H	<b>bn (EC) No 1272/2008:</b> 1302 - Harmful if swallowed. 1302+H312 - Harmful if swallowed or in of 1302+H332 - Harmful if swallowed or if ir 1: H400 - Very toxic to aquatic life. c 1: H410 - Very toxic to aquatic life with c 2: H411 - Toxic to aquatic life with long c 3: H412 - Harmful to aquatic life with lo 318 - Causes serious eye damage. d - Suspected of damaging fertility. Suspe 1314 - Causes severe skin burns and eye 1317 - May cause an allergic skin reaction H317 - May cause an allergic skin reaction	nhaled. long lasting effects. lasting effects. ong lasting effects. ected of damaging the unborn damage.	child.
Classification	, .		
Eye Dam. 1: Ca Skin Sens. 1A: Aquatic Chronic Aquatic Acute 1 Repr. 2: Calcula	Calculation method alculation method Calculation method Calculation method Calculation method Calculation method Calculation method		
Advice relate	d to training:		
Training is reco	5		t and to facilitate their comprehension and
Principal bibl	iographical sources:		
http://echa.eur			
http://eur-lex.e	uropa.eu		
Abbreviations	s and acronyms:		
IMDG: Internat IATA: Internation ICAO: Internation COD: Chemical BOD5: 5day bion BCF: Bioconcer LD50: Lethal Do LC50: Lethal Co EC50: Effective	ose 50	carriage of dangerous goods r	Jy Tudu
UFI: unique for	oefficient of organic carbon mula identifier onal Agency for Research on Cancer		

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.