Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



I

Decorkrete

inting:	07/12/2023 Date of compilation: 25/11/2021 Revised: 08/05/2023 Version: 3 (Replaced 2)
SECT	TION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: Decorkrete
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Decorative coatings
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	Diasen S.r.I. Zona Ind.le Berbentina, 5 60041 Sassoferrato (AN) - Marche - Italia Phone: +39 0732 9718 - Fax: +39 0732 971899 diasen@diasen.com https://www.diasen.com
1.4	Emergency telephone number: Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029 Diasen S.r.I - Tel: +39-07329718 - (office hours)
SECI	TION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	This product contains less than 1% of crystalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) 1272/2008 of the European Parliament and of the Council, of December 16, 2008, on classification labeling and packaging of substances and mixtures, and amending and repealing Directives 67/548/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
	Eye Dam. 1: Serious eye damage, Category 1, H318
	Skin Sens. 1B: Sensitisation, skin, Category 1B, H317
2.2	Label elements:
	CLP Regulation (EC) No 1272/2008: Danger
	Hazard statements:
	Eye Dam. 1: H318 - Causes serious eye damage. Skin Sens. 1B: H317 - May cause an allergic skin reaction.
	Precautionary statements:
	 P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. P302+P352: IF ON SKIN: Wash with plenty of water. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
	 do. Continue rinsing. P310: Immediately call a poison center/doctor. P501: Dispose of contents/container according to the separated collection system used in your municipality. Substances that contribute to the classification
	Cement, portland, chemicals
	UFI: 2Q30-Q06D-200H-3HVT
2.3	Other hazards:
	- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



!

Decorkrete

	: 07/12/2023	Date of compilation: 25	5/11/2021 Revised: 08	3/05/2023 Version: 3 (Re	placed 2)		
SEC	TION 2: HAZAF	RDS IDENTIFICATION (continued)				
	Endocrine-disru	ot meet PBT/vPvB criteria upting properties: The produ- osible dust-air mixture if disp	uct does not meet the criteria. persed				
SEC	TION 3: COMP	OSITION/INFORMATIO	N ON INGREDIENTS				
3.1	Substance:						
	Non-applicable						
3.2	Mixture:						
	Chemical description: Miscellaneous products						
	Components:						
	In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:						
	Identificat	tion	Chemical name	/Classification	Concentrat		
	CAS: 65997-15-1 EC: 266-043-4	Cement, portland,	chemicals ⁽¹⁾		Self-classified		
	Index: Non-applica REACH: Non-applica		8 Eye Dam. 1: H318; Skin Irrit. 2: H31	5; Skin Sens. 1B: H317; STOT SE 3: H335 -	Danger (!) (?) 2,5 - <10		
	CAS: 14808-60-7 EC: 238-878-4	Quartz (RCS > 10	%) ⁽²⁾		Self-classified		
	Index: Non-applica	Regulation 1272/200	8 STOT RE 1: H372 - Danger		<1 %		

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

- CONTINUED ON NEXT PAGE -

Safety data sheet [®] This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete

inting:	: 07/12/2023 Date of compilation: 25/11/2021 Revised: 08/05/2023 Version: 3 (Replaced 2)						
SECT	TION 5: FIREFIGHTING MEASURES						
5.1	Extinguishing media:						
	Suitable extinguishing media:						
	Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. Unsuitable extinguishing media:						
	Non-applicable						
5.2	Special hazards arising from the substance or mixture:						
5.3	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk. Advice for firefighters:						
	Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatu (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,) in accordance with Directive 89/654/EC. Additional provisions:						
	Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into a aqueous medium.						
0-0-							
SEC	TION 6: ACCIDENTAL RELEASE MEASURES						
6.1	Personal precautions, protective equipment and emergency procedures:						
	For non-emergency personnel:						
	Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal						
	For emergency responders:						
	Wear protective equipment. Keep unprotected persons away. See section 8.						
6.2	Environmental precautions:						
	This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.						
6.3	Methods and material for containment and cleaning up:						
	It is recommended:						
	Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal						
6.4	Reference to other sections:						
	See sections 8 and 13.						
SECT	TION 7: HANDLING AND STORAGE						
7.1	Precautions for safe handling:						
/.1	A General precautions for safe use						
	Use in ventilated areas. Avoid the build up of dust						
	 B Technical recommendations for the prevention of fires and explosions Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and 						
	use. C Technical recommendations on general occupational hygiene						
	Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.						
	D Technical recommendations to prevent environmental risks						
	D Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)						

- CONTINUED ON NEXT PAGE -

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Printing: 07/12/2023 (Replaced 2)

Date of compilation: 25/11/2021

Decorkrete

	: 07/12/2023 Date of compilation: 25		2023 Version	n: 3 (Replaced 2)			
SEC	TION 7: HANDLING AND STORAGE (c	ontinued)					
	A Technical measures for storage						
	Minimum Temp.: 5 °C						
	Maximum Temp.: 30 °C						
	Maximum time: 6 Months						
	B General conditions for storage						
	Avoid sources of heat, radiation, static			nation see subsection 10.5			
	Keep the container tightly sealed and p	protected from open air and humid	lity.				
7.3	Specific end use(s):						
	Except for the instructions already specifie product.	d it is not necessary to provide an	y special recommen	dation regarding the uses of this			
SEC	TION 8: EXPOSURE CONTROLS/PERS	ONAL PROTECTION					
8.1	Control parameters:						
	Substances whose occupational exposure I	limits have to be monitored in the	workplace (Europea	n OEL, not country-specific			
	legislation):						
	Directive (EU) 2000/39, Directive 2004/37/ (EU) 2019/1831:	EC, Directive (EU) 2006/15, Directi	ve (EU) 2009/161, E	Directive (EU) 2017/164, Directive			
	Identific	cation	0	ccupational exposure limits			
	Quartz (RCS > 10%) CAS: 14808-60-7 EC: 238-878-4		IOELV (8h) IOELV (STEL)	0,1 mg/m ³			
	Nuisance dust: Inhalable dust 10 mg/m3 /	/ Respirable dust 4 mg/m3					
	Nuisanco duct: Inhalablo duct 10 mg/m2 /	/ Pospirable dust 4 mg/m2					
	DNEL (Workers):						
	Non-applicable						
	DNEL (General population):						
	Non-applicable						
	PNEC:						
	Non-applicable						
8.2	Exposure controls:						
	A Individual protection measures, such as personal protective equipment						
	As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding < <ce marking="">> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal. B Respiratory protection</ce>						
	the labour risk prevention services as it			easures at its disposal.			
	the labour risk prevention services as it	t is not known whether the compa	ny has additional me				
	the labour risk prevention services as it B Respiratory protection	t is not known whether the compa	ny has additional me				
	the labour risk prevention services as it B Respiratory protection The use of protection equipment will be	t is not known whether the compa	ny has additional me				
	the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands	t is not known whether the compa	ny has additional me				
	the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands Non-applicable	t is not known whether the compa	ny has additional me				
	 the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands Non-applicable D Eye and face protection 	t is not known whether the compa	ny has additional me				
	 the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands Non-applicable D Eye and face protection Non-applicable 	t is not known whether the compa	ny has additional me				
	 the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands Non-applicable D Eye and face protection Non-applicable E Body protection 	t is not known whether the compa	ny has additional me				
	 the labour risk prevention services as it B Respiratory protection The use of protection equipment will be C Specific protection for the hands Non-applicable D Eye and face protection Non-applicable E Body protection Non-applicable 	t is not known whether the compa e necessary if a mist forms or if th	ny has additional me				

Revised: 08/05/2023

Version: 3

Page 4/10

Safety data sheet This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete



-	07/12/2023 Date of compilation TON 8: EXPOSURE CONTROLS/PE		vised: 08/05/2023	Version: 3 (Replaced 2)			
CI							
	In accordance with the community leg spillage of both the product and its co	slation for the protection Itainer. For additional info	of the environment it is rmation see subsection	recommended to avoid environmental 7.1.D			
	Volatile organic compounds:						
	With regard to Directive 2010/75/EU, this product has the following characteristics:						
	V.O.C. (Supply):	0 % weight					
	V.O.C. density at 20 °C:	0 kg/m³ (0 g/L)					
	Average carbon number:	Non-applicable					
	Average molecular weight:	Non-applicable					
СТ	TON 9: PHYSICAL AND CHEMICA	. PROPERTIES					
L	Information on basic physical and	chemical properties:					
	For complete information see the proc	uct datasheet.					
	Appearance:						
	Physical state at 20 °C:	Solid					
	Appearance:	Powder					
	Colour:	Several					
	Odour:	Charact					
	Odour threshold:	Non-ap	plicable *				
	Volatility:						
	Boiling point at atmospheric pressure:		plicable *				
	Vapour pressure at 20 °C:		plicable *				
	Vapour pressure at 50 °C:		plicable *				
	Evaporation rate at 20 °C:	Non-ap	plicable *				
	Product description: Density at 20 °C:	2664,2	ka/m3				
	Relative density at 20 °C:	2,664	Ng/III-				
	Dynamic viscosity at 20 °C:		plicable *				
	Kinematic viscosity at 20 °C:		plicable *				
	Kinematic viscosity at 40 °C:		plicable *				
	Concentration:		plicable *				
	pH:		plicable *				
	Vapour density at 20 ºC:		plicable *				
	Partition coefficient n-octanol/water 2		plicable *				
	Solubility in water at 20 °C:		plicable *				
	Solubility properties:	Non-ap	plicable *				
	Decomposition temperature:	Non-ap	plicable *				
	Melting point/freezing point:	Non-ap	plicable *				
	Flammability:						
	Flash Point:	Non-ap	plicable				
	Flammability (solid, gas):	Non-ap	plicable *				
	Autoignition temperature:	Non-ap	plicable *				
	Lower flammability limit:	Non-ap	plicable *				
	Upper flammability limit:	Non-ap	plicable *				

- CONTINUED ON NEXT PAGE -Revised: 08/05/2023

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete

Printing	: 07/12/2023	Date of compilation: 25/11/2021	Revised: 08/05/2023	Version: 3 (Replaced 2)			
SEC	TION 9: PHYSIC	CAL AND CHEMICAL PROPERTIE	S (continued)				
	Explosive (Sol	id):					
	Lower explosive	limit:	Non-applicable *				
	Upper explosive	limit:	Non-applicable *				
	Particle chara	cteristics:					
	Median equivale	ent diameter:	Non-applicable *				
9.2	Other informa	tion:					
	Information w	Information with regard to physical hazard classes:					
	Explosive prope	rties:	Non-applicable *				
	Oxidising proper	rties:	Non-applicable *				
	Corrosive to me	tals:	Non-applicable *				
	Heat of combus	tion:	Non-applicable *				
	Aerosols-total pe components:	ercentage (by mass) of flammable	Non-applicable *				
	Other safety c	haracteristics:					
	Surface tension	at 20 °C:	Non-applicable *				
	Refraction index	c:	Non-applicable *				
	*Not relevant due t	to the nature of the product, not providing info	prmation property of its hazards.				

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Avoid direct impact

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Incompatible	Silicate formation and calcium hydroxide	Not applicable	Not applicable	Base metal salts (Al, NH4,)

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:


In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- CONTINUED ON NEXT PAGE -

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete





This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete

Printing:	07/12/2023 Date of compilation: 25/11/2021 Revised: 08/05/2023 Version: 3 (Replaced 2)							
SECT	ION 12: ECOLOGICAL INFORMATION							
The ex	The experimental information related to the eco-toxicological properties of the product itself is not available							
For m	on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. ore information see section 3. Toxicity:							
	Not available							
12.2	Persistence and degradability:							
	Not available							
12.3	Bioaccumulative potential:							
	Not available							
12.4	Mobility in soil:							
	Not available							
12.5	Results of PBT and vPvB assessment:							
	Product does not meet PBT/vPvB criteria							
12.6	Endocrine disrupting properties:							
	Endocrine-disrupting properties: The product does not meet the criteria.							
12.7	Other adverse effects:							
	Not described							
1								

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	Non-hazardous

Product - Cement that has exceeded its shelf life: 10 13 99

Product - Unused residue or dry spillage: 10 13 06

Product - after addition of water, hardened: 10 13 14, 17 01 01

Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

- CONTINUED ON NEXT PAGE -

, This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete



Printing: 07	7/12/2023	Date of compilation: 25/11/2021	Revised: 08/05/2023	Version: 3 (Replaced 2)
_		ATORY INFORMATION (continued	÷ ÷	
R	egulation (EC) N rticle 95, REGUL	Io 1005/2009, about substances that de ATION (EU) No 528/2012: Non-applicat I) No 649/2012, in relation to the import	plete the ozone layer: Non-ap ble	
	eveso III:	,,,,		
N	Ion-applicable			
 Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVI etc): Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrate than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement. If reducing agents are used, then without prejudice to the application of other Community provisions on the classif packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the p cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to kee content of soluble chromium VI below the limit indicated in paragraph 1. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled ci totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in vis no possibility of contact with the skin. Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers risks related to exposure to carcinogens or mutagens during work. Specific provisions in terms of protecting people or the environment: It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-special assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal o product. Other legislation: 				
	•	be affected by sectorial legislation		
	hemical safety	not carried out evaluation of chemical sa	afety.	
SECTIC	ON 16: OTHER	INFORMATION		
T h ((he SDS shall be as been designe COMMISSION RE		the compilation of safety dat	laced on the market. This safety data sheet a sheets of Regulation (EC) No 1907/2006
	Ion-applicable			
т	exts of the leg	islative phrases mentioned in secti	on 2:	
		ious eye damage.		
		an allergic skin reaction. islative phrases mentioned in secti	on 3:	
T ir	he phrases indic ndividual compor	ated do not refer to the product itself; t nents which appear in section 3		formative purposes and refer to the
	-	(EC) No 1272/2008: 8 - Causes serious eye damage.		

Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1B: H317 - May cause an allergic skin reaction.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure (Inhalation).

STOT SE 3: H335 - May cause respiratory irritation.

Classification procedure:

Eye Dam. 1: Calculation method

Skin Sens. 1B: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

- CONTINUED ON NEXT PAGE -

⁷⁶ This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



Decorkrete

Printing: 07/12/2023	Date of compilation: 25/11/2021	Revised: 08/05/2023	Version: 3 (Replaced 2)				
SECTION 16: OTHE	R INFORMATION (continued)						
http://echa.eur http://eur-lex.e	Principal bibliographical sources: http://echa.europa.eu http://eur-lex.europa.eu Abbreviations and acronyms:						
ADR: European IMDG: Internati IATA: Internatio ICAO: Internatio COD: Chemical BOD5: 5day bio BCF: Bioconcen LD50: Lethal Do LC50: Lethal Do EC50: Effective LogPOW: Octan Koc: Partition co UFI: unique for	agreement concerning the international ional maritime dangerous goods code onal Air Transport Association onal Civil Aviation Organisation Oxygen Demand ochemical oxygen demand tration factor ose 50 oncentration 50 concentration 50 nolwater partition coefficient oefficient of organic carbon	carriage of dangerous goods	by road				

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified. - END OF SAFETY DATA SHEET -