

DECORK MEDITERRANEO

LEED v4 BD+C e ID+C

SSc Heat Island Reduction - Option1	
MRc BPDO - EPD Option1	
MRc BPDO - Sourcing of Raw Materials Option 2	✓
MRc BPDO - Material Ingredients Option 2	✓
EQc Low-emitting materials	✓

LEED v4.1 BD+C e ID+C

SSc Heat Island Reduction - Option1	
MRc EPD Option1	
MRc Sourcing of Raw Materials	✓
MRc Material Ingredients Option 2	✓
EQc Low-emitting Materials	✓ *

WELL v2

X01.1 Material Restrictions - Restrict Asbestos	✓
X02.1 Interior Hazardous Materials Management - Manage Asbestos Hazards	
X01.3 Material Restrictions - Restrict Lead	✓
X05.2 Enhanced Material Restrictions - Part 2 Select Compliant Architectural And Interior Products	
X06 VOC Restrictions	✓
X08.1 Materials Optimization - Select Materials With Enhanced Chemical Restrictions option 1	✓

* VOC emission test report, January 2022

DIASEN SRL UNIPERSONALE

Società Benefit

Zona Industriale Borbontina 5 - 60041 Sassoferrato (AN) | Italia | +39 0732 9718

diasen@diasen.com | www.diasen.com | P.IVA 01553210426 | R.E.A. Ancona n. 150933

Reg. Imp. Ancona 01553210426 | Cap. Soc. €400.000,00 i.v.



DECORK MEDITERRANEO

BREEAM International NC v6.0

Mat 01 - Life cycle impacts	
Mat03 - Responsible sourcing of materials	Sughero certificato su richiesta ISO 14001
Hea 02 - Indoor Air Quality	Indoor Air Comfort Gold

CAM Edilizia 06/08/2022

2.5.1 Emissioni negli ambienti confinati (inquinamento indoor)	Indoor Air Comfort Gold
2.5.6 Prodotti legnosi	Sughero certificato su richiesta
2.5.7 Isolanti termici e acustici	Autodichiarazione + Rifarsi al criterio 2.5.6
2.5.13 Pitture e vernici	Fornire test report *

* Fornire test report di parte terza in merito all'assenza di cadmio, piombo, cromo esavalente, mercurio, arsenico o selenio in concentrazione superiore a 0,010% in peso

DIASEN SRL UNIPERSONALE
Società Benefit

Zona Industriale Borbontina 5 - 60041 Sassoferrato (AN) | Italia | +39 0732 9718
diason@diason.com | www.diason.com | P.IVA 01553210426 | R.E.A. Ancona n. 150933
Reg. Imp. Ancona 01553210426 | Cap. Soc. €400.000,00 i.v.

